

- i Import and distrubition for Serbia: Avena Lab Farmadria d.o.o.
- info@avenalab.com
 - +381 (0) 69 / 55 65 029
- www.avenalab.com

CERTIFICATE OF ANALYSIS

Product Name	Marrubium Extract		
INCI Name	Water, Glycerin, Marrubium Vulgare Extract,		
	Caprylhydroxamic Acid, Glyceryl Caprylate		
Botanical Source	Marrubium Vulgare		
Lot Number	GBE01-22/06		
Manufacture Date	01/2022		
Re-test Date	01/2024		

Analytical Tests	Specification	Result	
Appearance	Brownish liquid	CONFORMS	
Odor	Characteristic	CONFORMS	
pH	4.0-6.5 at 25°C	CONFORMS	
Refractive Index	1.3920-1.5000 at 25°C	CONFORMS	
Solubility	Soluble in water	CONFORMS	
Specific Gravity	1.05-1.15 at 25°C	CONFORMS	

PHYSICO-CHEMICAL ANALYSIS-SAFETY

Analytical Tests	Specification	Result
Arsenic Content(As)	3 max. [mg/kg]	<0.1
Cadmium Content(Cd)	3 max. [mg/kg]	<0.1
Lead Content(Pb)	10 max. [mg/kg]	<0.2
Nickel Content(Ni)	10 max. [mg/kg]	<0.5
Mercury Content	1 max. [mg/kg]	<0.02
Pesticide Content	MCA	<loq< th=""></loq<>

MICROBIOLOGICAL ANALYSIS

Analytical Tests	Meas. Unit	Ref. Value	Result
Arsenic Content(As)	cfu/g	<10 ³	<0.1
Cadmium Content(Cd)	cfu/g	Absent	<0.1
Lead Content(Pb)	in 1g	Absent	<0.2
Nickel Content(Ni)	in 1g	Absent	<0.5
Mercury Content	cfu/g	Absent	<0.02

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness & completeness of such information for his own particular use.



Import and distrubition for Serbia: Avena Lab - Farmadria d.o.o.

info@avenalab.com

+381 (0) 69 / 55 65 029

www.avenalab.com

Based on the results of the laboratory testing and expert consideration it was found that the tested sample meets the requirements of the Law on items of general use ("Official Gazette RS", No. 25/2019), respectively **MEETS** requirements from the Rulebooks listed below:

- Rulebook on Cosmetic products ("Official Gazette of the RS", No. 60/2019);
- Rulebook on the conditions regarding the health safety of items of general use that can be placed on the market ("Official Gazette SFRJ", No. 26/83, 61/84, 56/86, 50/89, 18/91 and 60/2019-2 Rulebook, Article 101, Article 102);
- Rulebook on Cosmetic products ("Official Gazette of the RS", No. 60/2019, Article 13. Attact. 9)

STABILITY AND STORAGE:

Keep in tightly closed container in a cool and dry place, protected from sunlight. When stored for more than 24 months, quality should be checked before use.

As it is electronically generated document, hence no signature required.